



Clearlight Shows Pty Ltd

Please contact one of our friendly staff to obtain an obligation free, itemised hire quotation. We offer daily, weekly and longer term hire periods and can include freight, consumables (colour filters, electrical and gaffer tapes, lamps, smoke/ haze fluids) and labour if required.

Email : hire@clearlight.com.au or Phone: 03 9553 1688

5 Horscroft Pl, Moorabbin VIC 3189 // www.clearlight.com.au

Clearlight Hire Equipment List 2019

Photo of Clearlight Hire gear: courtesy Jason, Moving Light Productions

Item	Power/Watts/Features
<u>1.MOVING LIGHTS</u>	
<u>Profile Range</u>	
Chauvet Rogue R2 Spot	240w LED, 16.5°
Martin Mac 250 Entour	MSD 250, 14°
Martin Mac 700 Profile	700HTI, 16°-30° Zoom
Philips Showline SL LEDSPOT 300	270W LED, 10°- 45° Zoom, Framing Shutters
Martin Mac Viper	1000HTI, 10°- 44° Zoom
<u>Wash Range</u>	
Showtec Infinity iW1915	19 x 15w RGBW, 7°-50° Zoom
Robe Robin 300+ LED Wash	19 x 15w RGBW, 8° - 63° Zoom
Robe Robin 800 LED Wash*^	37 x 15w RGBW, 8°-63° Zoom, Wireless DMX
Martin Mac TW1**	1200w 80V, 19°-40° Zoom
<u>Moving Light Optional Accessories</u>	
* Robin 800 Beam Shaper Module 19°x35°	
^ Robin 800 Top Hat	
**Mac TW1 Narrow Lens kit 14°-27°	
<u>Moving Arm</u>	
Apollo Right Arm	Pan/Tilt Moving Arm
<u>2.LED FIXTURES</u>	
<u>LED Theatre Range</u>	
Selecon PL PROFILE1LED	150w RGBW LED
Selecon RAMA LED Fresnel	95w Warm White LED
Ovation E910-FC LED Profile 19°/26°/36°/50°	234w RGBW+Lime LED
<u>LED Par Range</u>	
LED Pro Par 64 Tri LED (Black or Chrome)	20 x 3w Tri Colour
Philips Showline SL Par 155 Zoom RGBW	9 x 15w LED's

Item	Power/Watts/Features
<u>Micro LED Range</u>	
Thomas PixelLine Micro E (Effect)	174 LED's
Thomas PixelLine Micro W (Wash)	22 Luxeon LED's
<u>LED Strip/CYC Range</u>	
Thomas PixelLine 1044	1044 LED's
Super CycLED 144 RGBWA Strip (LED Cyc)	CYC Batten RGBWA 15° + 30° (dual optic)
<u>Outdoor LED Range</u>	
LED Par IP65 RGBW	IP65 48 x 3w RGBW
Osram Kreios MFL	IP65 54 x 3w RGBW
<u>LED Drape Range</u>	
LED Black Star Curtain (white LED's)	6m x 3m or 3m x 6m
LED Black Star Curtain (RGB Tri Colour LED's)	6m x 4m or 4m x 6m
<u>Battery LED Range</u>	
Astera AX3 Lightdrop	15w RGBW LED, Battery, Wireless DMX, IP65
Astera AX5	45w RGBWA LED, Battery, Wireless DMX, IP65
<u>LED Ultraviolet Range</u>	
Chauvet SlimBANK UV-18	High output ultraviolet LED fixture
<u>3. LIGHTING CONSOLES</u>	
LSC Minim 12	12 Channels
Zero 88 Elara 12	12/24 Channels
Zero 88 Jester 12	12/24 Channels
Zero 88 Elara 24	24/48 Channels
Zero 88 Jester 24	24/48 Channels
Zero 88 Jester ML	30 Fixtures
LSC Mantra Lite	24 Fixtures
ETC Element 60 (250)	1024 Channels (2U)
ETC Ion 6K	6144 Channels (2U) / 2x10 Playback
High End Road Hog 4	4096 Channels (4U)

Item	Power/Watts/Features
<u>4. DIMMERS AND DISTRIBUTION</u>	
<u>10A Dimmers</u>	
Followspot/ Unit Dimmer	1x 2.4kw
Zero 88 Alpha Pack	3ch, 3 Faders/DMX
Jands 4 Pack	4ch = 10A
Jands 4 Pack DMX	4ch= 10A/DMX
<u>32A Dimmers</u>	
LSC Redback	12 x 2.4kw
Jands FP 12	12 x 2.4kw
Jands HP 12	12 x 2.4kw
LSC GenVI Advanced Dimmer System	12 x 13A, TruPower Dimmer & Power Distribution
Jands HP Touring Dimmer (Power Lock)	36ch/48ch/60ch/72ch (240v patch)
<u>Power Distribution</u>	
3Ø 32A Splitter	
LSC Delta 3Ø 12 x 13A Distro	
LSC APS 3Ø 12 x 13A Distro	
200A Distro (power lock)	30 x 10A
200A Distro (power lock)	3 x 3Ø 32A + 6 x 15A
<u>Data Distribution</u>	
LSC 4 way 5 pin Data Splitter	
LSC 5 way 5 pin Data Splitter	
LSC 10 way 5 pin Data Splitter	
LSC Linklight Mulitplexer 48ch	
LSC Point DMX Merger/Splitter	
ELC DMX Node4	
	4 x DMX Outputs
<u>5. WIRELESS DMX</u>	
WDMX G4 Wireless DMX Transmitter	
WDMX G4 Wireless DMX Receiver	

Item	Power/Watts/Features
WDMX F1 Wireless DMX Transmitter Lumen Radio TX Wireless DMX Transmitter Lumen Radio RX Wireless DMX Receiver	
<u>6. SMOKE/HAZE/BUBBLES/FANS</u>	
<u>Smoke Machines</u>	
Spaceball Smoke Machine	Low/Medium Volume output
Antari M5 Stage Fogger	High Volume output, DMX
Swefog Live T26 Smoke Processor	High Volume output, DMX
Smoke Factory Data II Smoke Machine	High Volume output, DMX
<u>Hazers</u>	
Antari F-5D Fazer	Water based, high volume
Swefog Duramax Intellahazer 1k8	Water based, high volume, cartridge fluid replacement
Swefog Ultimate II	High volume cracker hazer
Swefog Ultimate III Hazer	High volume cracker hazer, DMX, Separate compressor
Swefog Ultimate 300 Hazer	High volume cracker hazer, DMX, Separate compressor
Swefog Ultimate 3000 Hazer	High volume cracker hazer, DMX, Separate compressor
<u>Low Fog Machines</u>	
Antari Ice Fogger	Converts normal fog, from any fog machine, into floor hugging low fog
Antari DNG-100 Low Fog Machine	
<u>Bubble Machines</u>	
Chauvet B250 Bubble Machine (fluid extra)	Medium Output
Chauvet B550 Bubble Machine (fluid extra)	High Output
<u>Fans</u>	
Coemar Booster Fan	DMX or Manual control
Antari AF-3 Effect Fan	

Item	Power/Watts/Features
------	----------------------

7. FOLLOWSPOTS

Supplied with stand, dimmer and colour changer	
LDR Canto 1200w Tungsten MK2 Followspot	20m/1200w
LDR Canto 1200w MSR MK2 Followspot	30m-50m/MSR 1200
Selecon Performer Followspot	60m/MSR 1200
LDR Canto 2000w MSR Followspot	50m/MSR 2000
Bulls-Eye Followspot Sight	Battery Followspot Sight (followspot accessory)

8.CONVENTIONAL FIXTURES

Profiles

Selecon Aureol Spot c/w Beamshaper	50w
Selecon Axial 18°-34° or 22°-44°	600w
ETC Source Four Jr 25°-50°	575w
ETC Source Four 19°/26°/36°	575w/750w
Selecon Pacific 5.5°-13°/14°-35°/23°-50°/45°-75°/90°	600w/1000w

Profile Accessories

Selecon Acclaim Iris	
Selecon Pacific Iris	
Selecon Pacific Top Hats	
ETC Source Four Jr Iris	
ETC Source Four Iris	
ETC Source Four Top Hats	
ETC Source Four Zoom Top Hats	
Gobo Holders- available for all profiles	

Fresnel and PC – supplied with barn doors

Selecon Acclaim PC	650w
Selecon Acclaim Fresnel	650w
ETC Source Four Fresnel	750w

Item	Power/Watts/Features
Selecon High Performance 7" PC	1200w
Selecon Arena HP 10" Fresnel	2000w
<u>Floods / CYC Floods</u>	
Ribalta 300w QI	300w
Outdoor 500w QI	500w
Outdoor 1000w QI	1000w
Outdoor 1500w QI	1500w
Selecon HUI Single Cyc	500w or 800w
Thomas 500w 4 way Cyc Flood	4 x 500w, 4 x trailing lead
Thomas 1000w 4 way Cyc Flood	4 x 1000w, 4way Weiland
Desisti 1000w Single Cyc Flood	1000w
Desisti 1000w 4 way Cyc Flood	4 x 1000w, 4 x trailing lead
Colortran 1000w 4 way Cyc Flood	4 x 1000w, 4way Weiland
Molefay Duet (audience blinder)	2x 625w
Quadfay (audience blinder)	4x 625w
Thomas Mini Strip 30 way Batten	30 x 12V 50w 36° (floor only)
<u>Par Lamps</u>	
Par 16 Display Arm Light (including Transformer)	50w/12V
Par 16 (including Transformer)	50w/12V
Par 16 240v	50w/240V
Par 36 Pinspot	30w/6V
Par 56 MFL, NSP	300w/240V
Par 64 Stubbie Can MFL, NSP, VNSP	1000w/240V
Par 64 Raylite	500w/240V
Par 64 Scroller Can (double lock off)	MFL , NSP, VNSP
Kupo Multi Par HOG Black	600w/240V
<u>Par Lamp Accessories</u>	
Par 64 Top Hat	Suit Par 64s and Pro Par Tri LED
Multi Par Barndoor	

Item	Power/Watts/Features
<u>9. INTERCOM SYSTEMS</u>	
Ezicom Master Station c/w headset Ezicom Sub Station c/w headset	2 Channel
Jands E401 Master Station c/w headset Jands E101 Sub Station c/w headset	
<u>10. STROBES</u>	
Mini Strobe	
Super Strobe	75w
Mega Strobe	1500w
AF 1000 Dataflash (DMX)	1000w
Martin Atomic 3000 (DMX)	3000w
<u>Ultraviolet (UV) Lighting</u>	
4" UV tube (inc. Fitting)	36w
Griven UV Flood	400w
Wildfire UV Fresnel	400w
<u>Effect Lighting</u>	
Police Beacon	Red, Blue, Orange
Tubular Ripple	2 x 1000w, water effect
<u>11. TRUSS/STANDS/ACCESSORIES</u>	
1.5m Alloy Tri Truss 300mm (C-C)	
2.25 Alloy Tri Truss 300mm (C-C)	
3m Alloy Tri Truss 300mm (C-C)	
90° Vertical Corner Alloy Tri Truss 300mm (C-C)	
90° Horizontal Corner Alloy Tri Truss 300mm (C-C)	
Tri Truss Linton Ring 1m	
Tri Truss Cube	
Tri Truss Snaplock T Adaptor	

Item	Power/Watts/Features
Tri Truss BBQ Base 1m x 6mm	
MAC Vertical Tri Truss Adaptor	
Robin Vertical Tri Truss Adaptor	
STANDS	
8ft Push Up Stand	
10ft Push Up Stand c/w X Base	
10ft Push Up Stand c/w Flat Base Plate	
12ft Winch Up Stand	
4m Production Winch Up Stand	KUPRIG232
16ft Winch Up Stand	
Manfrotto 126U Stand	11 feet
Manfrotto 269U Stand	15 feet
Manfrotto 087NW Stand	12 feet
Manfrotto Follow Spot Stand	5 feet
Autopole (Silver)	12 feet
Autopole (Black) c/w extension	13 feet
Boom Stand Base - takes 50mm pipe	600mm x 600mm
 <u>12. POWER CABLES</u>	
10A Power Cable	1m - 10m/15m/20m/25m
20A Power Cable	10m/15m/20m/25m
Weiland 4 way loom 240v	5m - 30m
Socapex 6 way loom 240v	15m - 30m
3ø 32A Cable	5m - 50m
3ø 15A - 32A Adaptor	
3ø 20A - 32A Adaptor	
Powerlock cable sets	2m/3m/5m/10m/15m/30m/50m
 <u>DATA CABLES</u>	
DMX Cable (5pin)	1m/2m/3m/5m - 50m
MIC Cable (3pin)	1m/2m/5m - 50m
RCC Cable (4pin)	5m - 20m

Item	Power/Watts/Features
<u>13. FILM LIGHTING</u>	
Redhead c/w stand	800w
Blonde c/w stand	2000w
Redhead kit (4x Redheads c/w stands)	4 x 800w
<u>14. SCROLLERS/ROTATORS/EFFECT WHEELS</u>	
Apollo MXR Scroller (Fit Source4, Multipar, Par 56/64)	Duel Gel String, 400 colours
Rainbow Scroller 2/16 (Fit Pacific, Par 64, 1200 Fres/PC)	
Effects Wheel to suit Profile (Fire, Water, Flicker) (Fit Pacific)	
<u>Mirror Balls With Motor</u>	
Mirror Ball supplied with motor	12"/18"/24"
<u>15. CABLE GUARDS</u>	
5 Channel Heavy Duty Cable Guard	90cm x 59cm x 7.2cm
1 Channel Light Duty Cable Guard	100cm x 13.6cm x 1.8cm
<u>16. CURTAIN TRACK</u>	
Jands 90° Curved Tab Track	1m
<u>17.DRAPES</u>	
Rokel 12m x 1m	Flat
Rokel 10m x 1m	Pleated
Rokel 6m x 5m	Flat
Rokel 2m x 4m	Pleated

Item	Power/Watts/Features
Wool 7.6m x 7.3m	Flat
Wool 3m x 7.3m	Flat
Wool 9m x 1.5m *	Flat
White Scrim 12m x 8m	Flat
White Scrim 9.1m x 4.6m	Flat
Black Scrim 9.4m x 5m	Flat
White Cyc 4.5m x 4.1m	Flat

* fits telescopic drape support to create Ops Surround

18. TELESCOPIC DRAPE SUPPORT

Curtain Call Telescopic Post	2 Stage / .9m – 1.5m
Curtain Call Telescopic Crossbar	2 Stage / 1.2m – 2.1m
Curtain Call Telescopic Crossbar	2 Stage / 2.1m – 3.6m
Curtain Call Post Steel Base Plate	50mm x 450mm x 6mm, Spigot

Services offered by Clearlight Shows

- THEATRICAL LIGHTING - HIRE / SALES / PRODUCTION / SERVICE
- DELIVERY / PICK UP (hire, sales and service)
- LABOUR for INSTALL / DISMANTLE / OPERATION
- REPAIRS TO LIGHTING EQUIPMENT
- LIGHTING DESIGN
- CONSULTANCY / TRAINING

Key Staff Contacts

HIRE DEPARTMENT

Martin Bowman - Hire Department martin@clearlight.com.au

SALES DEPARTMENT

John McKissock - Managing Director john@clearlight.com.au

