



HIRE EQUIPMENT LIST

Clearlight Shows Pty Ltd
5 Horscroft Place, Moorabbin VIC 3189

Trading Hours:
Monday - Friday | 9:00am - 5:30pm (AEST/AEDT)

For hire enquiries, please contact us:

Ph: (03) 9553 1688

hire@clearlight.com.au

www.clearlight.com.au











Equipment Hire List

LED Fixtures









Power/Watts/Features

Weight  


THEATRE LED

Infinity TS-260 C7 LED Profile 15°- 35° (Zoom)	260w 7 Colour, Spirit of RJ, CRI 96	12.9kg	
Infinity TS-260 C7 LED Profile 25°- 50° (Zoom)	260w 7 Colour, Spirit of RJ, CRI 96	12.9kg	
Infinity TS-260 C7 LED Profile (Fixed Beam*)	19° / 26° / 36° / 50° (*subject to availability)	12kg	
Infinity TS-260 C7 LED Profile (with Pacific Lens Adaptor*)	14°- 35° / 23°- 50° / 45°- 75° / 90° (*subject to availability)	~12kg	
Chauvet Ovation 910-FC LED Profile 19°/26°/36°/50°	234w RGBAL	9.9kg	
Showtec Performer Profile Zoom 150 Q6 (25°- 50°)	150w RGBALC, 25° - 50° Zoom, Silent, Compact, Lightweight, CRI 95	6.1kg	
Selecon PL PROFILE1LED (Zoom)	150w RGBW, 18°-34° / 22°-44°	8.5kg	
Infinity TF-260 C7 LED Fresnel 15°- 50°	260w 7 Colour, Spirit of RJ, CRI 96, DMX Zoom	10.8kg	
Selecon RAMA LED Fresnel 7° - 50°	80w, Warm White 3100K / DMX	8.4kg	
Infinity TCYC-7 Cyclorama	300w 7 Colour, 75° Beam, 30 ° Motorised Tilt, CRI 96	11.2kg	 
Super CycLED 144 (LED Cyc)	CYC Batten RGBAW 15° + 30° (dual optic)	8.2kg	

LED PAR

Showtec Spectral Revo 6	125w LED - RGBALC, 17° PC Lens Optics, IP65	6.1kg	 
Philips Showline SL Par 155 Zoom 8° - 40°	135w RGBW, CRI 90	8kg	
LED Pro Par 64 Tri Led	20x3w RGB / Black or Chrome	3.6kg	
Par 16 (Warm on Dim)	10w 36 ° Warm White LED, Triac Dimming Technology	0.45kg	 
Par 46 (Warm on Dim)	28w 60 ° Warm White LED, Triac Dimming Technology	1.3kg	 
Par 56 (Warm on Dim)	35w 60 ° Warm White LED, Triac Dimming Technology	1.9kg	 



LED ULTRAVIOLET

Showtec Spectral Revo UV	100w LED UV, 45 ° Fixed Beam, PC Lens Optics, IP65	6.5kg	
Chauvet SlimBANK UV-18	18 x 1w UV LED's	3.4kg	



Equipment Hire List

LED Fixtures

	<i>Power/Watts/Features</i>	Weight		
<u>LED BATTERY</u>				
Showtec Helix M1000	8 x 10w RGBW, 10°/20°/40°, WDMX, IP65	7.5kg		
Astera Titan Tube	72w RGBA + Mint, Lumen Wireless DMX, IP65	1.35kg		
Astera AX3 Lightdrop	15w RGBW LED, Lumen Wireless DMX, IP65	0.68kg		
Astera AX5 Triple Par	45w RGBWA LED, Lumen Wireless DMX, IP65	3.4kg		
<u>LED MICRO</u>				
Thomas Pixelline Micro E (Effect)	174 LED's, RGB	1.9kg		
Thomas Pixelline Micro W (Wash)	22 Luxeon LED's, RGBA	2.2kg		
<u>LED STRIP</u>				
Thomas Pixelline 1044	1044 LED's, RGB	12.2kg		
Showtec Candela Pix 100	14 x 15w RGBW, 8°/20°/40°, IP65	10.2kg		
Showtec Phantom 1220 Zoombar	12 x 20w RGBW, 5° - 50° Zoom, Pixel Control, 210° Motorized Tilt	13.2kg		
<u>LED DRAPE</u>				
Black Star Curtain (RGB Tri Colour LEDs)	6m x 4m / 4m x 6m	18kg		
<u>LED OUTDOOR - PARS</u>				
Showtec Spectral Revo 6	125w LED - RGBALC, 17° PC Lens Optics, IP65	6.1kg		
Osram Kreios MFL	54 x 3w RGBW, IP65	7kg		
LED Par IP65 RGBW	48 x 3w RGBW, IP65	9.2kg		
Showtec Spectral Revo UV	100w LED UV, 45° Fixed Beam, PC Lens Optics, IP65	6.5kg		
<u>LED OUTDOOR - WASH</u>				
Showtec Helix S5000	40 x 10w RGBW, 10°/20°/40°, WDMX, IP65	9.5kg		
<u>LED OUTDOOR - LIGHT BAR</u>				
Showtec Candela Pix 100	14 x 15w RGBW, 8°/20°/40°, IP65	10.2kg		






Equipment Hire List

Intelligent Fixtures




Power/Watts/Features

Weight  








MOVING PROFILE

Infinity Furion S201 Profile	150w LED, 12° - 30°, WDMX	20.3kg	
Infinity Furion S401 Profile	350w LED, 6° - 30°, CMY, WDMX	29kg	
Infinity Furion S601 Profile	500w LED, 6° - 45°, CMY, Shutters, WDMX	35.75kg	
Martin Mac 250 Entour	MSD 250, 14°	22.4kg	
Martin Mac 700 Profile	700HTI, 16° - 30°	34.5kg	
Martin Mac Viper Profile	1000HTI, 10° - 44°	37.2kg	
Chauvet Rogue R2 Spot	240w LED, 16.5°	21.2kg	
Philips Showline SL LEDSPOT 300	270w LED, 10° - 45°, Shutters	28kg	

MOVING BEAM

Infinity Furion B401 Beam	230w HRI, 4°, Colour Bump, WDMX	21kg	 
Infinity iFX-640	6 x 40w RGBW, 5° - 36° Zoom, Continuous Bi-rotational lens, diffusion blades	14.3kg	

MOVING WASH

Infinity iW-741	7 x 40w RGBW, 4° - 60°	9.3kg	 
Infinity iW-1941	19 x 40w RGBW, 4° - 60°, Pixel Control	19kg	 
Robe Robin 300+ LED Wash	19 x 15w RGBW, 8° - 63°	8.2kg	
Robe Robin 800 LED Wash	37 x 15w RGBW, 8° - 63°, WDMX	10.9kg	
Showtec Polar 740	7 x 40w RGBL, 3.5° - 44°, Zone Control, RGB Outer Effect Ring, IP65	9.8kg	
Showtec Phantom 1220 Zoombar	12 x 20w RGBW, 5° - 50° Zoom, Pixel Control, 210° Motorized Tilt	13.2kg	
Showtec iW1915	19 x 15w RGBW, 7° - 50°	14kg	
Martin Mac TW1	1200w 80V Tungsten, 40° Lens (Narrow 19° optional)	27.4kg	



Equipment Hire List

Intelligent Fixtures

Power/Watts/Features



MOVING LIGHT ACCESSORIES

Robe Robin 800 Top Hat

Martin Mac TW1 - Standard Lens (18 - 40°)

Martin Mac TW1 - Narrow Lens (19 - 27°)

MAC Tri Truss Adaptor (vertical truss)

Robin Tri Truss Adaptor (vertical truss)

Infinity Tri Truss Adaptor (vertical truss)



Equipment Hire List

Conventional Fixtures

Power/Watts/Features

Weight  

PROFILES

Selecon Axial 18°-34° or 22°-44°	600w	5.6kg
ETC Source 4 Jr 25°-50°	575w	5.6kg
ETC Source 4 19° / 26° / 36° / 50°	750w	6.4kg
Selecon Pacific 5.5° - 13°	600w or 1000w	16.7kg
Selecon Pacific 14° - 35°	600w or 1000w	9.8kg
Selecon Pacific 23° - 50°	600w or 1000w	8.7kg
Selecon Pacific 45° - 75°	600w or 1000w	9.4kg
Selecon Pacific 90°	600w or 1000w	9.1kg

PC & FRESNELS - supplied with barndoors

Selecon Acclaim PC	650w	3.7kg
Selecon Acclaim Fresnel	650w	4.3kg
Selecon High Performance 7" PC	1200w	8.6kg
Selecon High Performance 7" Fresnel	1200w	7.4kg
Selecon Arena HP 10" Fresnel	2000w	10.7kg

FLOODS / CYC FLOODS / BLINDER

Selecon HUI Single Cyc	500w or 800w	4.8kg
Molefay Duet (audience blinder)	2 x 625w DWE	3.5kg
Quadfay (audience blinder)	4 x 625w DWE	8.5kg

PAR LAMPS

Par 16 240v	50w/240v, Black	0.9kg
Par 56 (MFL,NSP)	300w/240v, Black or Silver	3kg
Par 64 Raylite	500w/240v, Black	2.9kg
Par 64 (MFL,NSP,VNSP)	1000w/240v, Black	3.3kg
Kupo Multi Par HOG Black (Wide)	600w/240v, Black	4.3kg



Equipment Hire List

Conventional Fixtures

Power/Watts/Features

Weight  

GALLERY LIGHTING AND TRACK

Selecon Aureol Spot (c/w Beamshaper)	50w / Black or White / Track Ad. / TD Clamp Ad.	2.9kg
EUTRAC Gallery Track (White)	1m / 2m	
EUTRAC Gallery Track (Black)	1m / 2m / 3m	

FIXTURE ACCESSORIES

Selecon Acclaim Iris		
Selecon Pacific Iris		
ETC Source 4 Junior Iris		
ETC Source 4 Iris		
ETC Source Four Top Hats	158mm	
ETC Source Four Zoom Top Hats	190mm	
Selecon Pacific Top Hats	158mm / 190mm	
Par 64 Top Hat	254mm	
Gobo Holders - available to suit Profiles	A, B, M sizes / Sandwich or Tab	
Multipar Barndoors		

Followspots

Power/Watts/Features

FOLLOWSPOTS (supplied with stand, control ballast & colour changer)

LDR Canto 1200w Tungsten MK2 Followspot	20m/1200w	
LDR Canto 1200w MSR MK2 Followspot	20m-40m/MSR 1200	
Selecon Performer Followspot	60m/MSR 1200	
LDR Canto 2000w MSR Followspot	50m/MSR 2000	

FOLLOWSPOT ACCESSORIES

Bulls-Eye Followspot Sight	Battery Followspot Sight	
----------------------------	--------------------------	--



Equipment Hire List

LIGHTING CONSOLES

Output/Features



ETC Element 60 (250)
ETC Ion (6000ch)
ETC Ion XE 20 (12kch)

250 Channels / 1024 Outputs (2U DMX, sACN, Artnet)
6144 Outputs (2U DMX, sACN, Artnet) + 2x10 Fader Wing
12,288 Outputs (4U DMX, sACN, Artnet, 20 x Multi-Function Faders)

Showtec Lampy 20
Showtec Lampy 40

1024 Outputs (2U DMX, sACN, Artnet), 10 x Playbacks, 10 x MFF, Encoders
1024 Outputs (2U DMX, sACN, Artnet), 10 x Playbacks, 30 x MFF, Encoders



Zero 88 Elara 12
Zero 88 Jester 12
Zero 88 Elara 24
Zero 88 Jester 24
Zero 88 Jester ML 24
Zero 88 FLXs24

12/24 Channels (1U DMX)
12/24 Channels (1U DMX)
24/48 Channels (1U DMX)
24/48 Channels (1U DMX)
24 Channels + 30 Movers (1U DMX)
48 Fixtures / 512 Outputs (2U DMX, sACN, Artnet), 48 x MFF, Encoders

LSC Minim 12
LSC Mantra Lite

12/24 Channels (1U DMX)
24 Fixtures / 512 Output (1U DMX, sACN, Artnet), 10 x Playbacks

High End Road Hog 4

4096 Outputs (4U DMX, sACN, Artnet)



Equipment Hire List

DIMMERS

Power/Watts/Features



10amp DIMMERS

Followspot / Unit Dimmer	1 x 2.4kw
Zero88 Alpha Pack	3ch, 3 Faders/DMX, 1500w Max.
Jands 4 Pack	4ch = 10A
Jands 4 Pack DMX	4ch = 10A/DMX

32amp DIMMERS

LSC Redback	12 x 2.4kw
Jands FP 12	12 x 2.4kw
LSC GenVI Advanced Dimmer System	12 x 13A, TruPower / Dimmer

Power Distribution

Power/Watts/Features



LSC Delta	32amp, 12 x 13amp Outlets
LSC APS	32amp, 12 x 13amp Outlets
LSC GenVI	32amp, 12 x 13amp Outlets



Equipment Hire List

Data Distribution

Power/Watts/Features



LSC 5way 5 pin Data Splitter
LSC 10way 5 pin Data Splitter
ELC dmXLAN Node4

4 x DMX Outputs

Wireless DMX

Power/Watts/Features




WDMX G4 Micro Wireless DMX Transmitter
WDMX G4 Micro Wireless DMX Receiver
WDMX F1 G4 Wireless DMX Transceiver
Lumen Radio CRMX Nova TX Wireless DMX Transmitter
Lumen Radio CRMX Nova RX Wireless DMX Receiver



Equipment Hire List

Smoke / Haze / Bubble / Fans

Power/Watts/Features



SMOKE MACHINES

Antari M5 Stage Fogger
Smoke Factory Data II

*High Volume output, DMX
High Volume output, DMX*

HAZERS (WATER BASED)

Swefog K1
Swefog Duramax Intellahazer 1k8
Antari F-5D Fazer

*Water based, High Volume, BiB container, DMX
Water based, High Volume, BiB container, DMX
Water based, High Volume, DMX / WDMX*

HAZERS (MEDICAL GRADE OIL)

Swefog Ultimate II
Swefog Ultimate III Hazer (DMX, separate compressor)
Swefog Ultimate 300 Hazer (DMX, separate compressor)
Swefog Ultimate 3000 Hazer (DMX, separate compressor)

*High Volume Cracker Hazer
High Volume Cracker Hazer
High Volume Cracker Hazer
High Volume Cracker Hazer*

LOW FOG

Aqua Fog H-SW3000
Antari DNG-100

*Water based low fogger
Refridgerator Unit: converts smoke machine fog into floor hugging low fog*

BUBBLE MACHINES

Chauvet B250 Bubble Machine (fluid extra)
Chauvet B550 Bubble Machine (fluid extra)

*Medium Output
High Output*

FANS

Coemar Booster Fan
Antari AF-3 Effect Fan

DMX or Manual control



Equipment Hire List

Gel Scrollers

Power/Watts/Features

Weight  

Apollo MXR
Rainbow Scroller 2/16

Duel Gel String, 400 colours

3.15kg

Mirror Balls - with motor

Power/Watts/Features

Weight  

Mirror Ball supplied with motor

18"/24"

~12kg

Strobes

Power/Watts/Features

Weight  

Martin Atomic 3000 (DMX)

3000w

7.5kg


Ultraviolet

Power/Watts/Features

Weight  

Showtec Spectral Revo UV
Chauvet SlimBANK UV-18

100w LED UV, 45 ° Fixed Beam, PC Lens Optics, IP65

6.5kg 

18 x 1w UV LED's

3.4kg



Equipment Hire List

Truss, Rigging & Stands

Power/Watts/Features



TRUSS

1.5m Tri Truss	<i>300mm C-C, Silver / Black</i>
2.25m Tri Truss	<i>300mm C-C, Silver / Black</i>
3m Tri Truss	<i>300mm C-C, Silver / Black</i>
90° Vertical Tri Truss Corner	
90° Horizontal Tri Truss Corner	
Tri Truss Linton Ring 1m	<i>1m Diameter</i>
Tri Truss Cube	<i>Silver</i>
Tri Truss BBQ Base	<i>Circular 1m diameter x 6mm</i>
MAC Tri Truss Adaptor (vertical truss)	
Robin Tri Truss Adaptor (vertical truss)	
Infinity Tri Truss Adaptor (vertical truss)	

RIGGING ACCESSORIES


2" Alloy Pipe (Black)	<i>1m/1.5m/2m/3m/4m</i>
90° Scaff Clamp	
360° Scaff Clamp	
H Stand	
Barrel Floor Stand	
90mm Steel round floor stand	<i>Suits Par 16</i>
T/Piece	
600mm Dropper Clamps	
Boom Arm Bracket	<i>Twisted/Straight</i>
Boom Pipe 500mm	<i>Black Boom Pipe 500m c/w Black Alloy Coupler</i>
TD Clamp	
Half Coupler Clamp	
3' Dropper Bars	<i>Adjustable Height</i>
4' Dropper Bars	<i>Adjustable Height</i>
10' Dropper Bars	<i>Adjustable Height</i>



Equipment Hire List

Truss, Rigging & Stands

Power/Watts/Features



STANDS

8ft Push Up Stand	Tri Base
10ft Push Up Stand	X Base
10ft Push Up Stand	Flat Base 600mm x 600mm x 6mm
12ft Winch Up Stand	Tri Base
16ft Winch Up Stand	X Base
Manfrotto 126U Stand	Tri Base / Silver / Extends up to 11 feet
Manfrotto 269U Stand	Tri Base / Silver / Extends up to 15 feet
Manfrotto 087NW Stand	Tri Base / Silver / Extends up to 12 feet
Manfrotto Follow Spot Stand	Tri Base / Silver / Extends up to 5 feet
Autopole (Silver)	12 feet
Autopole (Black) c/w extension	13 feet
Flat Boom Stand Base - takes 50mm pipe	600mm x 600mm x 6mm Base / Pipe Sleeve

Curtain Track & Drapes

Power/Watts/Features

Weight

WENTEX PIPE & DRAPE SYSTEM

Wentex Pipe & Drape System	Black, 3m(W) x 4m(H) Drape, Telescopic Drape Supports, Flat Base	
----------------------------	--	--

LED DRAPE

Black Star Curtain (RGB Tri Colour LEDs)	6m x 4m / 4m x 6m	18kg
--	-------------------	------

CURTAIN TRACK


Jands Tab Track	3m
Jands Tab Track	1.5m
Jands 90° Curved Tab Track	1m



Equipment Hire List

Cables

Power/Watts/Features



POWER CABLES

10A Power Cable	1m - 10m/15m/20m/25m/30m
20A Power Cable	10m/15m/20m/25m
Weiland 4 way loom 120v/240v	5m/10m/15m/20m/25m/30m
Socapex 6 way loom 240v	10m/15m/20m/25m/30m
3ø Cable 32A	5m/10m/15m/30m/40m/50m
32amp 3Phase Splitter	Double / Triple

DATA CABLES

DMX Cable (5pin)	1m/2m/3m/5m/10m/15m/20m/25m/30m/40m/50m
MIC Cable (3pin)	1m/2m/5m - 50m
RCC Cable (4pin)	5m - 20m

Cable Guards

Power/Watts/Features



5 Channel Heavy Duty Cable Guard	90cm x 59cm x 7.2cm
1 Channel Light Duty Cable Guard	100cm x 13.6cm x 1.8cm



Equipment Hire List

Intercom Systems

Power/Watts/Features



CABLED TALKBACK

Ezicom Master Station	<i>2 Channel, c/w headset</i>
Ezicom Sub Station (Single)	<i>c/w headset</i>
Jands E401 Master Station	<i>4 Channel, c/w headset</i>
Jands E101 Sub Station (Single)	<i>c/w headset</i>



Terms and Conditions of Hire

The Hirer

In these Conditions and in the Hiring Agreement 'Hirer' means any person, company, corporation or Government instrumentality (including the personal representatives and permitted assign and any person or corporation entitled or required by law to administer the Hirer's affairs) who shall hire any equipment form CLEARLIGHT SHOWS PTY. LTD.

Insurance

All responsibility for goods on hire is with the Hirer. No unit is covered by insurance whilst on hire. The Hirer agrees to pay all costs for unpaid hire, damage to, or loss of any goods on hire.

Damages

The Hirer agrees to pay all repair costs for equipment damaged by the Hirer and to reimburse CLEARLIGHT SHOWS PTY. LTD. at the currently applicable daily hire rate for that equipment for so long as it is unable to be re-lent following damage sustained during hire. In the event that the equipment is damaged beyond economic repair the Hirer agrees to pay CLEARLIGHT SHOWS PTY. LTD. the replacement value of that equipment within 14 days of invoice.

Late Return

Should the equipment be returned after 11am on any day CLEARLIGHT SHOWS PTY. LTD. reserves the right to charge rental until 11am on the following business day ('business day' means any week day other than a public holiday).

Default in Payment / Right of Recovery

If the Hirer shall make default in punctual payment of any monies payable hereunder, or fail to observe and perform the terms and conditions hereof, it shall be lawful for CLEARLIGHT SHOWS PTY. LTD. or its assigns to retake possession of the said equipment and for that purpose to enter into or upon any premises where the same may be and termination of the hiring under this clause shall not effect the right of CLEARLIGHT SHOWS PTY. LTD. to recover from the Hirer any monies payable hereunder, or damages for breach of these Conditions. The 'Conditions of Hire' are printed on the reverse side of the Hire Agreement. Please read them carefully before hiring equipment.

Charges

Minimum hire \$55.00. Delivery and Pick Up minimum charge \$49.50 each way. Payment in full on collection of hire, unless an account has been established. A cash deposit is required for all hires (note a \$100.00 deposit on all drapes)(refundable on safe return of hired equipment). The Long Term prices are per week, for a minimum hire period of two weeks. One lead per light will be supplied free of charge, extra leads incur an additional charge.

All prices are subject to GST.



Terms and Conditions of Hire

Identification

Full photographic identification must be produced on collection of hire (Drivers' license or Passport).

Equipment

CLEARLIGHT SHOWS PTY. LTD. is not responsible for customers' inexperience operating hired equipment. CLEARLIGHT SHOWS PTY. LTD. reserves the right to substitute other suitable equipment as required.

Lamps

Where applicable, spare lamps will be supplied with the hire and must be returned with the equipment. Faulty or blown lamps must be returned for inspection. The Hirer must accept full responsibility for lost or broken lamps.

Loss or Damage

Loss or damage sustained to equipment during the hire period is the full responsibility of the Hirer. In the event the equipment is lost the Hirer agrees to pay CLEARLIGHT SHOWS PTY. LTD. the replacement value of the equipment within 14 days of invoice.

Testing and Tagging

All equipment supplied by CLEARLIGHT SHOWS PTY. LTD. is tested and tagged by qualified technicians. The responsibility for maintaining the currency of testing and tagging of all equipment on long term hire is with the Hirer.

Trading Hours:

Monday to Friday 9:00am – 5:30pm

www.clearlight.com.au

hire@clearlight.com.au