

HIRE EQUIPMENT LIST

Clearlight Shows Pty Ltd
5 Horscroft Place, Moorabbin VIC 3189

Trading Hours:

Monday - Friday | 9:00am - 5:30pm (AEST/AEDT)
(CLOSED on Weekends & Public Holidays)

For hire enquiries, please contact us:

Ph: (03) 9553 1688

hire@clearlight.com.au

www.clearlight.com.au



Equipment Hire List

Table of Contents



LED Fixtures

Theatrical LED, LED PAR, LED Ultraviolet
LED Battery, LED Micro, LED Strip, LED Drape, LED Outdoor

3
4

Intelligent Fixtures

Moving Profiles, Moving Wash
Moving Beam, Moving Light Accessories

6
7

Conventional Fixtures

Profiles, Fresnels, PC, CYC & Flood, Blinders, PARS
Gallery Lights & Track, Conventional Fixture Accessories

8
9

Followspots

MSR Followspot, LED Followspot

10

Lighting Consoles

ETC, Showtec, Zero 88, LSC

11

Dimmers / Power Distros

10A Dimmers, 32A Dimmers, 32A Distros

12

DMX Data Distribution / Wireless DMX

Data Splitters, Nodes, Wireless DMX

13

Smoke / Haze / Low Fog Effects

Smoke Machines, Hazers, Low Foggers, Bubbles, Fans

14

Lighting Effects

Mirror Ball, Strobe, UV

15

Truss, Rigging and Stands

Truss, Rigging Accessories
Stands

16
17

Curtain Track & Drapes

WENTEX Pipe & Drape, Starcloth

17

Cables & Cable Guards

240v Extension, 3 Phase Cable, 4 way Weilands, 6 way Socapex, Data Cable

18

Talkback

Cabled Master Station / Substation, Headset

19



Equipment Hire List

LED Fixtures

Power/Watts/Features

Weight

THEATRE LED

Infinity TS-260 C7 LED Profile 15°- 35° (Zoom)	260w 7 Colour, Spirit of RJ, CRI 96	12.9kg
Infinity TS-260 C7 LED Profile 25°- 50° (Zoom)	260w 7 Colour, Spirit of RJ, CRI 96	12.9kg
Infinity TS-260 C7 LED Profile (Fixed Beam*)	19° / 26° / 36° / 50° (*subject to availability)	12kg
Infinity TS-260 C7 LED Profile (with Pacific Lens Adaptor*)	14°- 35° / 23°- 50° / 45°- 75° / 90° (*subject to availability)	~12kg
Chauvet Ovation 910-FC LED Profile 19°/26°/36°/50°	234w RGBAL	9.9kg
Showtec Performer Profile Zoom 150 Q6 (25°- 50°)	150w RGBALC, 25° - 50° Zoom, Silent, Compact, Lightweight, CRI 95	6.1kg
Infinity TF-260 C7 LED Fresnel 15°- 50°	260w 7 Colour, Spirit of RJ, CRI 96, DMX Zoom	10.8kg
Showtec Performer Fresnel 1500 Q6	100w RGBALC, 10° - 50° Manual Zoom	5.5kg
Selecon RAMA LED Fresnel 7° - 50°	80w, Warm White 3100K / DMX	8.4kg
Infinity TCYC-7 Cyclorama	300w 7 Colour, 75° Beam, 30 ° Motorised Tilt, CRI 96	11.2kg
Super CycLED 144 (LED Cyc)	CYC Batten RGBAW 15° + 30° (dual optic)	8.2kg

LED PAR

Showtec Spectral Revo 6	125w LED - RGBALC, 17° PC Lens Optics, 40°/60° Optisculpt Filter (optional), IP65	6.1kg
Philips Showline SL Par 155 Zoom 8° - 40°	135w RGBW, CRI 90	8kg
LED Pro Par 64 Tri Led	20x3w RGB / Black or Chrome	3.6kg
Par 16 (Warm on Dim)	10w 36 ° Warm White LED, Triac Dimming Technology	0.45kg
Par 46 (Warm on Dim)	28w 60 ° Warm White LED, Triac Dimming Technology	1.3kg
Par 56 (Warm on Dim)	35w 60 ° Warm White LED, Triac Dimming Technology	1.9kg

LED ULTRAVIOLET

Showtec Spectral Revo UV	100w LED UV, 45 ° Fixed Beam, PC Lens Optics, IP65	6.5kg
Chauvet SlimBANK UV-18	18 x 1w UV LED's	3.4kg



Equipment Hire List

LED Fixtures

Power/Watts/Features

Weight

LED BATTERY

Showtec Helix M1000	8 x 10w RGBW, 10° Beam Angle, Optional 20°/40° Beam Shaper, WDMX, IP65	7.5kg
Astera Titan Tube	72w RGBA + Mint, Lumen Wireless DMX, IP65	1.35kg
Astera AX3 Lightdrop	15w RGBW LED, Lumen Wireless DMX, IP65	0.68kg
Astera AX5 Triple Par	45w RGBWA LED, Lumen Wireless DMX, IP65	3.4kg

LED MICRO

Thomas PixelLine Micro E (Effect)	174 LED's, RGB	1.9kg
Thomas PixelLine Micro W (Wash)	22 Luxeon LED's, RGBA	2.2kg

LED STRIP

Showtec Candela Pix 100	14 x 15w RGBW, 8 ° Beam Angle, Optional 20°/ 40° Beam Shaper, IP65	10.2kg
Showtec Phantom 1220 Zoombar	12 x 20w RGBW, 5° - 50° Zoom, Pixel Control, 210° Motorized Tilt	13.2kg
Showtec Spectra Strobe	1m Batten, 1w White Strobes, 0.5w RGB LED's, section control, Optional 25°/ 10°x40° Shaper, IP65	9.5kg
Thomas PixelLine 1044	1044 LED's, RGB	12.2kg

LED DRAPE

Black Star Curtain (RGB Tri Colour LEDs)	6m x 4m / 4m x 6m	18kg
--	-------------------	------

LED OUTDOOR (IP65) - PARS

Showtec Spectral Revo 6	125w LED - RGBALC, 17° PC Lens Optics, 40°/60° Optisculpt Filter (optional), IP65	6.1kg
Showtec Spectral Revo UV	100w LED UV, 45 ° Fixed Beam, PC Lens Optics, IP65	6.5kg

LED OUTDOOR (IP65) - WASH

Showtec Helix S5000	40 x 10w RGBW, 10° Beam Angle, Optional 20°/40° Beam Shaper, WDMX, IP65	9.5kg
Showtec Helix M1000	8 x 10w RGBW, 10° Beam Angle, Optional 20°/40° Beam Shaper, WDMX, IP65, Battery/240v	7.5kg



Clearlight Shows Pty Ltd

Equipment Hire List

LED Fixtures

Power/Watts/Features

Weight

LED OUTDOOR (IP65) - LIGHT BAR

Showtec Candela Pix 100

14 x 15w RGBW, 8 ° Beam Angle, Optional 20°/ 40° Beam Shaper, IP65

10.2kg

Showtec Spectra Strobe

1m Batten, 1w White Strobes, 0.5w RGB LED's, section control, Optional 25°/ 10°x40° Shaper, IP65

9.5kg

Infinity Furion FX402 Bar

Individual Head Control, 10 x 60w RGBW, 60 x Strobe Pixels (WW & CW), 200 ° Tilt, 3 °- 31 ° Zoom, IP65

31kg



Equipment Hire List

Intelligent Fixtures

	Power/Watts/Features	Weight
<u>MOVING PROFILE</u>		
Infinity Furion S402 Spot	350w LED (7400K), 6°-50°, CMY+Wheel, Fixed/Rotating Gobos, Animation, WDMX, IP65	23kg
Infinity Furion P402 Profile	350w LED (7400K), 6°-50°, CMY+Wheel, Framing Shutters, Rot. Gobos, Animation, WDMX, IP65	25.5kg
Infinity Furion P602 Profile	600w LED (7400K), 6°-50°, CMY/CTO+Wheel, Rot./Fixed Gobos, Animation, Framing, WDMX, IP65	28.5kg
Infinity Furion S201 Profile	150w LED (7500K), 12° - 30°, Colour Wheels, Fixed/Rotating Gobos, Prism, WDMX	20.3kg
Infinity Furion S401 Profile	350w LED (7500K), 6° - 30°, CMY+Wheel, Fixed/Rotating Gobos, Prisms, Iris, Animation, WDMX	29kg
Infinity Furion S601 Profile	500w LED (6500K), 6° - 45°, CMY+Wheel, Rot. Gobos, Prisms, Iris, Animation, Framing, WDMX	35.75kg
Martin Mac 250 Entour	MSD 250, 14°, Colour Wheels, Fixed/Rotating Gobos	22.4kg
Martin Mac 700 Profile	700HTI, 16° - 30°, CMY+Wheel, Fixed/Rotating Gobos, Animation Wheel	34.5kg
Martin Mac Viper Profile	1000HTI, 10° - 44°, CYM+Wheel, Fixed/Rotating Gobos, Animation Wheel	37.2kg
Chauvet Rogue R2 Spot	240w LED, 16.5°, Colour Wheels, Fixed/Rotating Gobos	21.2kg
Philips Showline SL LEDSPOT 300	270w LED, 10°- 45°, CMY+Wheel, Fixed/Rotating Gobos, Framing Shutters	28kg
<u>MOVING WASH</u>		
Infinity iW-741	7 x 40w RGBW, 4° - 60° Zoom	9.3kg
Infinity iW-1941	19 x 40w RGBW, 4° - 60° Zoom, Pixel Control	19kg
Infinity iW-1915	19 x 15w RGBW, 7°- 50°	14kg
Robe Robin 300+ LED Wash	19 x 15w RGBW, 8° - 63°	8.2kg
Robe Robin 800 LED Wash	37 x 15w RGBW, 8° - 63°	10.9kg
Martin Mac TW1	1200w 80V Tungsten, 18 ° - 40° Standard Lens (Optional: Narrow 19° - 27° Lens)	27.4kg



Equipment Hire List

Intelligent Fixtures

Power/Watts/Features

MOVING BEAM

Infinity Furion FX402 Bar	<i>Individual Head Control, 10 x 60w RGBW, 60 x Strobe Pixels (WW & CW), 200° Tilt, 3° - 31° Zoom, IP65, 31kg</i>
Infinity iFX-640	<i>6 x 40w RGBW, 5° - 36° Zoom, Continuous Bi-rotational lens, diffusion blades, flower effect, 14.3kg</i>
Infinity Furion B401 Beam	<i>230w HRI, 4° Beam, 17 static gobos, Colour Bump, Dual Rotating Prisms with overlay, WDMX, 21kg</i>
Showtec Phantom 1220 Zoombar	<i>12 x 20w RGBW, 5° - 50° Zoom, Pixel Control, 210° Motorized Tilt, 13.2kg</i>

MOVING LIGHT ACCESSORIES

Robe Robin 800 Top Hat	<i>Fixture will be set to Reduced Tilt to accommodate Top Hat</i>
Martin Mac TW1 - Standard Lens (18 - 40°)	<i>Standard Lens Supplied</i>
Martin Mac TW1 - Narrow Lens (19 - 27°)	<i>Enquire about availability</i>
MAC Tri Truss Adaptor (vertical truss)	<i>to suit 300mm C-C Tri Truss</i>
ROBE Robin Tri Truss Adaptor (vertical truss)	<i>to suit 300mm C-C Tri Truss</i>
Infinity Tri Truss Adaptor (vertical truss)	<i>to suit 300mm C-C Tri Truss</i>
Infinity (IP Range) Tri Truss Adaptor (vertical truss)	<i>to suit 300mm C-C Tri Truss</i>



Equipment Hire List

Conventional Fixtures

Power/Watts/Features

Weight

PROFILES

Selecon Axial 18°-34° or 22°-44°	600w	5.6kg
ETC Source 4 Jr 25°-50°	575w	5.6kg
ETC Source 4 19° / 26° / 36° / 50°	750w	6.4kg
Selecon Pacific 5.5°- 13°	600w or 1000w	16.7kg
Selecon Pacific 14°- 35°	600w or 1000w	9.8kg
Selecon Pacific 23°- 50°	600w or 1000w	8.7kg
Selecon Pacific 45°- 75°	600w or 1000w	9.4kg
Selecon Pacific 90°	600w or 1000w	9.1kg

PC & FRESNELS - supplied with barndoors

Selecon Acclaim PC	650w	3.7kg
Selecon Acclaim Fresnel	650w	4.3kg
Selecon High Performance 7" PC	1200w	8.6kg
Selecon High Performance 7" Fresnel	1200w	7.4kg
Selecon Arena HP 10" Fresnel	2000w	10.7kg

FLOODS / CYC FLOODS / BLINDER

Selecon HUI Single Cyc	500w or 800w	4.8kg
Molefay Duet (audience blinder)	2 x 625w DWE	3.5kg
Quadfay (audience blinder)	4 x 625w DWE	8.5kg

PAR LAMPS

Par 16 240v	50w/240v, Black	0.9kg
Par 56 (MFL,NSP)	300w/240v, Black or Silver	3kg
Par 64 Raylite	500w/240v, Black	2.9kg
Par 64 (MFL,NSP,VNSP)	1000w/240v, Black	3.3kg



Conventional Fixtures

Equipment Hire List

	<i>Power/Watts/Features</i>	<i>Weight</i>
<u>GALLERY LIGHTING AND TRACK</u>		
Selecon Aureol Spot (c/w Beamshaper)	50w / Black or White / Track Ad. / TD Clamp Ad. / Hook	2.9kg
<u>Fixture Accessories</u>		
Selecon Acclaim Iris		
Selecon Pacific Iris		
ETC Source 4 Junior Iris		
ETC Source 4 Iris		
ETC Source Four Top Hats	158mm	
ETC Source Four Zoom Top Hats	190mm	
Selecon Pacific Top Hats	158mm / 190mm	
Par 64 Top Hat	254mm	
Gobo Holders - available to suit Profiles	A, B, M sizes / Sandwich or Tab	



Equipment Hire List

Followspots

Power/Watts/Features

FOLLOWSPOTS (supplied with stand, control ballast & colour changer)

LDR Canto 1200w Tungsten MK2 Followspot	<i>Suitable for 20m/1200w T29 / 8°- 22° beam</i>	18kg
LDR Canto 1200w MSR MK2 Followspot	<i>Suitable for 20m-40m / MSR 1200 / 8°- 20° beam</i>	22.3kg
Selecon Performer Followspot	<i>Suitable for 60m / MSR 1200 / 5.5°- 9° beam</i>	25.5kg
LDR Canto 2000w MSR Followspot	<i>Suitable for 20m-50m / MSR 2000 / 8°- 22° beam</i>	34kg

LED FOLLOWSPOTS (supplied with stand, manual control fader & colour changer)

LDR Astro 600 Followspot	<i>Suitable for 20m-50m / 600w LED, 6000k / 7 °- 12 ° beam / manual or DMX dim</i>	31kg
LDR Astro 250 Followspot	<i>Suitable for 5m-30m / 250w LED, 5600k / 8°- 23° beam / manual or DMX dim</i>	19.5kg

FOLLOWSPOT ACCESSORIES

Bulls-Eye Followspot Sight	<i>2 x AA Battery External Mounted Followspot Sight</i>
----------------------------	---



LIGHTING CONSOLES

ETC Ion XE 20 (12k ch)

ETC Ion (6000 ch)

ETC Element 60 (250)

Showtec Lampy 20

Showtec Lampy 40

Zero 88 FLXs24

Zero 88 FLXs48

Zero 88 FLX

Zero 88 Jester 24

Zero 88 Jester 12

LSC Minim 12

LSC Mantra Lite

Output/Features

12,288 Outputs (4U DMX, sACN, Artnet, 20 x Multi-Function Faders, Master Playback, Encoders)

6144 Outputs (2U DMX, sACN, Artnet), Master Playback, Encoders + 2x10 Fader Wing

250 Fixtures / 1024 Outputs (2U DMX, sACN, Artnet)

1024 Outputs (2U DMX, sACN, Artnet), 10 x Playbacks + Master, 10 x MFF, Encoders

1024 Outputs (2U DMX, sACN, Artnet), 10 x Playbacks + Master, 30 x MFF, Encoders

96 Fixtures / MFF, 2048 Outputs (2U DMX, sACN, Artnet), Encoders, Master Playback

192 Fixtures / MFF, 2048 Outputs (2U DMX, sACN, Artnet), Encoders, Master Playback

4096 Outputs (2U DMX, sACN, Artnet), MFF + Master, Encoders, Keypad

24/48 Channels, 2 x Manual Presets, Scene Faders, Master Playback (1U DMX)

12/24 Channels, 2 x Manual Presets, Scene Faders, Master Playback (1U DMX)

12/24 Channels, 2 x Manual Presets, Scene Faders (1U DMX)

24 Fixtures / 512 Output (1U DMX, sACN, Artnet), 10 x Playbacks



Equipment Hire List

DIMMERS

Power/Watts/Features

10amp DIMMERS

Single Unit Dimmer	1 x 2.4kw
Zero88 Alpha Pack	3ch, 3 Faders/DMX, 1500w Max.
Jands 4 Pack	4ch = 10A
Jands 4 Pack DMX	4ch = 10A/DMX addressable

32amp DIMMERS

LSC Redback	12 x 2.4kw
Jands FP 12	12 x 2.4kw
LSC GenVI Advanced Dimmer System	12 x 13A, TruPower / Dimmer, Outlet Configurable

Power Distribution

Power/Watts/Features

LSC Delta	32amp, 12 x 13amp Outlets
LSC APS	32amp, 12 x 13amp Outlets
LSC GenVI	32amp, 12 x 13amp Outlets



Equipment Hire List

Data Distribution

LSC 5way 5 pin Data Splitter

LSC 10way 5 pin Data Splitter

ELC dmXLAN Node4

Power/Watts/Features

1 x 5-Pin Input, 5 x 5-pin Output, 1 x 5-pin Thru

1 x 5-Pin Input, 10 x 5-pin Output, 1 x 5-pin Thru

1 x RJ45 Input, 4 x 5-pin DMX Input/Outputs, Artnet, sACN

Wireless DMX

WDMX G4 Micro Wireless DMX Transceiver

WDMX G4 Micro Wireless DMX Receiver

WDMX F1 G4 Wireless DMX Transceiver

Lumen Radio CRMX Luna Wireless DMX Transceiver

Lumen Radio CRMX Nova TX Wireless DMX Transmitter

Lumen Radio CRMX Nova RX Wireless DMX Receiver

Power/Watts/Features

12vDC/6 x AA, Single 5-pin DMX TX or RX, G3/G4 2.4GHz, Internal Antenna

12vDC/6 x AA, Single 5-pin DMX RX only, G3/G4 2.4GHz, Internal Antenna

240v, Single DMX Universe, G3/G4/G4S 2.4GHz, TX or RX Mode

240v, Single Universe, 5-pin DMX, TX/RX Modes, Compatible with CRMX and W-DMX G3/G4s

240v, Single Universe, 5-pin DMX, 2.4GHz

240v, Single Universe, 5-pin DMX, 2.4GHz



Equipment Hire List

Smoke / Haze / Bubble / Fans

Power/Watts/Features

SMOKE MACHINES

Antari M5 Stage Fogger	<i>Adjustable High Volume output, DMX/Manual/Timer</i>
Smoke Factory Data II	<i>Adjustable High Volume output, DMX/Manual</i>
Showtec QubiQ S1000	<i>Adjustable Output, DMX/Manual/Remote/Timer</i>
Showtec QubiQ S1500	<i>Adjustable Output, DMX/Manual/Remote/Timer</i>
Chauvet GEYSER P7	<i>Vertical Burst with 7 x RGBA+UV LED's, DMX (3 or 5 pin)</i>

HAZERS (WATER BASED)

Swefog K1	<i>Adjustable Output, Water based fluid, BiB container, DMX/Manual</i>
Swefog Duramax Intellahazer 1k8	<i>Adjustable Output, Water based fluid, BiB container, DMX/Manual/Timer</i>
Showtec QubiQ F1500	<i>Adjustable Output, Water Based fluid, DMX/Manual/Remote/Timer</i>

HAZERS (MEDICAL GRADE OIL)

Swefog Ultimate III Hazer (DMX, separate compressor)	<i>High Volume Cracker Hazer, Adjustable Continuos Output, DMX</i>
Swefog Ultimate 300 Hazer (DMX, separate compressor)	<i>High Volume Cracker Hazer, Adjustable Continuos Output, DMX</i>
Swefog Ultimate 3000 Hazer (DMX, separate compressor)	<i>High Volume Cracker Hazer, Adjustable Continuos Output, DMX</i>

LOW FOG

Aqua Fog H-SW3000	<i>Adjustable high output low fogger (requires water), DMX/Manual/Timer</i>
-------------------	---

FANS

Coemar Booster Fan	<i>Manual Variable Speed Control</i>
Antari AF-3 Effect Fan	<i>DMX or Manual control</i>



Equipment Hire List

Mirror Balls - with motor

	Power/Watts/Features	Weight
Mirror Ball (supplied with motor)	<i>Available Size: 18"/24"</i>	~12kg

Strobes

	Power/Watts/Features	Weight
Martin Atomic 3000 (DMX)	<i>3000w, DMX, 3 Modes</i>	7.5kg
Showtec Spectra Strobe	<i>1m Batten, 1w White Strobes, 0.5w RGB LED's, section control, Optional 25°/10°x40° Shaper, IP65</i>	9.5kg

Ultraviolet

	Power/Watts/Features	Weight
Showtec Spectral Revo UV	<i>100w LED UV, 45 ° Fixed Beam, PC Lens Optics, IP65</i>	6.5kg
Chauvet SlimBANK UV-18	<i>18 x 1w UV LED's</i>	3.4kg



Truss, Rigging & Stands

Power/Watts/Features

TRUSS

1.5m Tri Truss	<i>300mm C-C, Silver / Black</i>
2.25m Tri Truss	<i>300mm C-C, Silver / Black</i>
3m Tri Truss	<i>300mm C-C, Silver / Black</i>
90° Vertical Tri Truss Corner	
90° Horizontal Tri Truss Corner	
Tri Truss Linton Ring 1m	<i>1m Diameter</i>
Tri Truss Cube	<i>Silver</i>
Tri Truss BBQ Base	<i>Circular 1m diameter x 6mm</i>
MAC Tri Truss Adaptor (vertical truss)	<i>to suit 300mm C-C Tri Truss</i>
ROBE Robin Tri Truss Adaptor (vertical truss)	<i>to suit 300mm C-C Tri Truss</i>
Infinity Tri Truss Adaptor (vertical truss)	<i>to suit 300mm C-C Tri Truss</i>

RIGGING ACCESSORIES

2" Alloy Pipe (Black)	<i>1m/1.5m/2m/3m/4m</i>
90° Scaff Clamp	
360° Scaff Clamp	
H Stand	<i>Bolt on</i>
Barrel Floor Stand	<i>Round Pipe</i>
90mm Steel round floor stand	<i>Suits Par 16</i>
T/Piece	
600mm Dropper Clamps	<i>suits 2" Pipe</i>
Boom Arm Bracket	<i>Twisted/Straight</i>
Boom Pipe 500mm	<i>Black Boom Pipe 500mm c/w Black Alloy Coupler</i>
TD Clamp	
Half Coupler Clamp	
3' Dropper Bars	<i>Adjustable Height</i>
4' Dropper Bars	<i>Adjustable Height</i>
10' Dropper Bars	<i>Adjustable Height</i>



Equipment Hire List

Truss, Rigging & Stands

Power/Watts/Features

STANDS

8ft Push Up Stand	<i>Tri Base</i>
10ft Push Up Stand	<i>X Base</i>
10ft Push Up Stand	<i>Flat Base 600mm x 600mm x 6mm</i>
12ft Winch Up Stand	<i>Tri Base</i>
16ft Winch Up Stand	<i>X Base</i>
Manfrotto 126U Stand	<i>Tri Base / Silver / Extends up to 11 feet</i>
Manfrotto 269U Stand	<i>Tri Base / Silver / Extends up to 15 feet</i>
Manfrotto 087NW Stand	<i>Tri Base / Silver / Extends up to 12 feet</i>
Manfrotto Follow Spot Stand	<i>Tri Base / Silver / Extends up to 5 feet</i>
Autopole (Silver)	<i>12 feet</i>
Autopole (Black) c/w extension	<i>13 feet</i>
Flat Boom Stand Base - takes 50mm pipe	<i>600mm x 600mm x 6mm Base / Pipe Sleeve</i>

Curtain Track & Drapes

Power/Watts/Features

Weight

WENTEX PIPE & DRAPE SYSTEM

Wentex Pipe & Drape System	<i>Black, 3m(W) x 4m(H) Drape, Telescopic Drape Supports, Flat Base</i>
----------------------------	---

LED DRAPE

Black Star Curtain (RGB Tri Colour LEDs)	<i>6m x 4m / 4m x 6m</i>	<i>18kg</i>
--	--------------------------	-------------



Equipment Hire List

Cables

Power/Watts/Features

POWER CABLES

10A Power Cable	1m - 10m/15m/20m/25m/30m
20A Power Cable	10m/15m/20m/25m
Weiland 4 way loom 240v	5m/10m/15m/20m/25m/30m
Socapex 6 way loom 240v	10m/15m/20m/25m/30m
3Ø Cable 32A	5m/10m/15m/30m/40m/50m
32amp 3Phase Splitter	Double / Triple

DATA CABLES

DMX Cable (5pin)	1m/2m/3m/5m/10m/15m/20m/25m/30m/40m/50m
MIC Cable (3pin)	1m/2m/5m - 50m

Cable Guards

Power/Watts/Features

5 Channel Heavy Duty Cable Guard	90cm x 59cm x 7.2cm
1 Channel Light Duty Cable Guard	100cm x 13.6cm x 1.8cm



Equipment Hire List

Intercom Systems

Power/Watts/Features

CABLED TALKBACK

Ezicom Master Station

2 Channels, 3-pin XLR input/thru (c/w headset)

Ezicom Sub Station (Single)


3-pin XLR input/thru (c/w headset)

Jands E401 Master Station

4 Channels, 3-pin XRL input/thru (c/w headset)

Jands E101 Sub Station (Single)

3-pin XRL input/thru (c/w headset)



Terms and Conditions of Hire

The Hirer

In these Conditions and in the Hiring Agreement 'Hirer' means any person, company, corporation or Government instrumentality (including the personal representatives and permitted assign and any person or corporation entitled or required by law to administer the Hirer's affairs) who shall hire any equipment from CLEARLIGHT SHOWS PTY. LTD.

Insurance

All responsibility for goods on hire is with the Hirer. No unit is covered by insurance whilst on hire. The Hirer agrees to pay all costs for unpaid hire, damage to, or loss of any goods on hire.

Damages

The Hirer agrees to pay all repair costs for equipment damaged by the Hirer and to reimburse CLEARLIGHT SHOWS PTY. LTD. at the currently applicable daily hire rate for that equipment for so long as it is unable to be re-lent following damage sustained during hire. In the event that the equipment is damaged beyond economic repair the Hirer agrees to pay CLEARLIGHT SHOWS PTY. LTD. the replacement value of that equipment within 14 days of invoice.

Late Return

Should the equipment be returned after 11am on any day CLEARLIGHT SHOWS PTY. LTD. reserves the right to charge rental until 11am on the following business day ('business day' means any week day other than a public holiday).


Default in Payment / Right of Recovery

If the Hirer shall make default in punctual payment of any monies payable hereunder, or fail to observe and perform the terms and conditions hereof, it shall be lawful for CLEARLIGHT SHOWS PTY. LTD. or its assigns to retake possession of the said equipment and for that purpose to enter into or upon any premises where the same may be and termination of the hiring under this clause shall not effect the right of CLEARLIGHT SHOWS PTY. LTD. to recover from the Hirer any monies payable hereunder, or damages for breach of these Conditions. The 'Conditions of Hire' are printed on the reverse side of the Hire Agreement. Please read them carefully before hiring equipment.

Charges

Minimum hire \$55.00. Delivery and Pick Up minimum charge \$49.50 each way. Payment in full on collection of hire, unless an account has been established. A cash deposit is required for all hires (note a \$100.00 deposit on all drapes)(refundable on safe return of hired equipment). The Long Term prices are per week, for a minimum hire period of two weeks. One lead per light will be supplied free of charge, extra leads incur an additional charge.

All prices are subject to GST.



Terms and Conditions of Hire

Identification

Full photographic identification must be produced on collection of hire (Drivers' license or Passport).

Equipment

CLEARLIGHT SHOWS PTY. LTD. is not responsible for customers' inexperience operating hired equipment. CLEARLIGHT SHOWS PTY. LTD. reserves the right to substitute other suitable equipment as required.

Lamps

Where applicable, spare lamps will be supplied with the hire and must be returned with the equipment. Faulty or blown lamps must be returned for inspection. The Hirer must accept full responsibility for lost or broken lamps.

Loss or Damage

Loss or damage sustained to equipment during the hire period is the full responsibility of the Hirer. In the event the equipment is lost the Hirer agrees to pay CLEARLIGHT SHOWS PTY. LTD. the replacement value of the equipment within 14 days of invoice.

Testing and Tagging

All equipment supplied by CLEARLIGHT SHOWS PTY. LTD. is tested and tagged by qualified technicians. The responsibility for maintaining the currency of testing and tagging of all equipment on long term hire is with the Hirer.

Trading Hours:

Monday to Friday 9:00am – 5:30pm

www.clearlight.com.au

hire@clearlight.com.au

The information in this hire list is for informational use only and is subject to change without notice. Clearlight Shows Pty. Ltd. assumes no responsibility or liability for any errors or inaccuracies that may appear in this hire list.